





Time and Attendance Control Terminal by Biometric Recognition






ProBio

Characteristics

- Biometric fingerprint sensor.
- Long range RFID reader.
- Manages attendance of a large number of people.
- Combines several types of authentication (finger, password and card).
- · Can be used for attendance control and access control.
- Reduces administrative costs.
- · Accuracy and speed.
- · Generate data in onffline mode.

Dimensions




Gross Weight: 0,5kg


Tecnhical Specifications

Certification	CE Marking
ID Reader	Optical, scratch and impact resistant
Card Reader	RFID 125 KHz or 13.56MHz
Screen	2.8" TFT color screen 320x240 pixels
Keyboard	16 Keypads
Communication	TCP/IP, USB, or Flashdisk
Operation	Completely standalone or PC controlled
Verification	< 0.5 seconds to authenticate
Authentication	Finger, Card + Finger, PIN + Finger, Card
Bio authentication	Standard from 2.000 until 10.000 recordings
Capacity	Memorizes until 160 000 events
Design	Modern
Battery	Lithium battery
Door Opening	1 relay for access control or siren, configurable in menu
Dimensions	19.5(W) x 13.5(H) x 4.3(T) cm
Power supply	DC 5VDC 1A
Temperature	$0^{\circ} \sim 45^{\circ} \text{C}$
Humidity	20% ~ 90%

Standalone configuration




TCP/IP



Flashdisk



USB



⊠ geral@innux.com www.innux.com | www.innux.pt

T.: +351 229 812 220 T.: +351 219 618 404

All photographs and images contained in this document are subject to copyright and may not be copied or reproduced



